

# Globalizing Rehabilitation Psychology: Application of Foundational Principles to Global Health and Rehabilitation Challenges

Jacob A. Bentley

Johns Hopkins University School of Medicine

Susanne M. Bruyère

Cornell University

Jeanne LeBlanc

Vancouver, British Columbia, Canada

Malcolm MacLachlan

Trinity College and Stellenbosch University

**Purpose/Objective:** This article reviewed foundational principles in rehabilitation psychology and explored their application to global health imperatives as outlined in the *World Report on Disability* (World Health Organization & World Bank, 2011). **Research Method/Design:** Historical theories and perspectives are used to assist with conceptual formulation as applied to emerging international rehabilitation psychology topics. **Results:** According to the *World Report on Disability* (World Health Organization & World Bank, 2011), there are approximately 1 billion individuals living with some form of disability globally. An estimated 80% of persons with disabilities live in low- to middle-income countries (WHO, 2006). The primary messages and recommendations of the *World Report on Disability* have been previously summarized as it relates to potential opportunities for contribution within the field of rehabilitation psychology (MacLachlan & Mannan, 2014). Yet, undeniable barriers remain to realizing the full potential for contributions in low- to middle-income country settings. **Conclusions/Implications:** A vision for engaging in international capacity building and public health efforts is needed within the field of rehabilitation psychology. Foundational rehabilitation psychology principles have application to the service of individuals with disabilities in areas of the world facing complex socioeconomic and sociopolitical challenges. Foundational principles of person–environment interaction, importance of social context, and need for involvement of persons with disabilities can provide guidance to the field as it relates to global health and rehabilitation efforts. The authors illustrate the application of rehabilitation psychology foundational principles through case examples and description of ongoing work, and link foundational principles to discreet domains of intervention going forward.

## Impact and Implications

The current article adds to the literature by identifying foundational rehabilitation psychology principles inherent in global health initiatives. Describing the utility of rehabilitation psychology and its foundational principles in international capacity building efforts. Summarizing current opportunities for policy, service, research, and educational influence in global health as based on foundational principles in the field.

**Keywords:** global health, disability, health disparities, contextual factors, international

Jacob A. Bentley, Department of Physical Medicine and Rehabilitation, the Johns Hopkins University School of Medicine; Susanne M. Bruyère, Employment and Disability Institute, School of Industrial and Labor Relations, Cornell University; Jeanne LeBlanc, Private Practice, Vancouver, British Columbia, Canada; Malcolm MacLachlan, Centre for Global Health and School of Psychology, Trinity College, and Centre for Rehabilitation Studies, Stellenbosch University.

Jacob A. Bentley would like to thank Adnan Hyder, MD, PhD, MPH, and the International Injury Research Unit at the Johns Hopkins University Bloomberg School of Public Health, and acknowledge financial support received from the National Institutes of Health Fogarty International Center. Susanne M. Bruyère recognizes Arun Karpur, extension associate and researcher at the Employment and Disability Institute in the Cornell Uni-

versity School of Industrial and Labor Relations and acknowledges that the work by Cornell University was supported by World Bank funding. Jeanne LeBlanc would like to thank Dr. Martin E. Thornton, DO, FACEP, FAADM, American Academy of Disaster Medicine. Malcolm MacLachlan is grateful for the support of the United Nations Partnership on the Rights of Persons with Disabilities (UNPRPD) and the World Health Organization's Global Cooperation on Assistive Technology (GATE).

Correspondence concerning this article should be addressed to Jacob A. Bentley, PhD, ABPP (RP), Division of Rehabilitation Psychology and Neuropsychology, Department of Physical Medicine and Rehabilitation, Johns Hopkins University School of Medicine, 5601 Loch Raven Blvd, Smyth Building, Suite 403, Baltimore, MD 21239. E-mail: [jbentle5@jhmi.edu](mailto:jbentle5@jhmi.edu)

## Introduction

An estimated 1 billion people experience some form of disability worldwide (World Health Organization [WHO] & World Bank, 2011). Approximately 80% of those individuals reside in low- to middle-income countries (LMICs), where resources to provide comprehensive networks of support are limited (WHO, 2006). As a result, the WHO has redoubled its efforts in recent years to better understand and address disability issues at a global level. As part of its efforts, WHO collaborated with the World Bank on the development of the *World Report on Disability* (WHO & World Bank, 2011). The aims of the *World Report on Disability* were to (a) “provide . . . a comprehensive description of the importance of disability and an analysis of the responses provided, based on the best available scientific information” and (b) “make recommendations for action at national and international levels” (p. xxi).

There were several clear messages contained within the *World Report on Disability*, including (a) disability prevalence is high and growing, (b) disability disproportionately affects vulnerable populations, (c) disability is diverse, (d) people with disabilities face widespread barriers in accessing services, and (e) people with disabilities have worse health and socioeconomic outcomes (MacLachlan & Mannan, 2014). The broad scope of the *World Report on Disability* enabled it to organize discussion of multiple current gaps present in the international community including limitations in health systems/infrastructure and governance, financing and affordability of rehabilitative services, human resource availability, legislation and policy, employment opportunity, poverty alleviation, and inclusive social programs for people with disabilities. Like a host of others identified in the *World Report on Disability*, these gaps are wide ranging and led to the development of similarly expansive recommendations.

The breadth and diversity of need identified by the *World Report on Disability* brings into focus a host of questions for rehabilitation psychology as a field. What does rehabilitation psychology have to offer global and public health initiatives? In what ways can the profession work to address international systems and governance barriers to the rehabilitation and habilitation of people with disabilities? How does an individual rehabilitation psychologist begin to organize his or her thoughts on initiating this work? It is incumbent on the field to reflect on its response to difficult questions pertaining to the global biopsychosocial and economic implications of chronic disability as outlined in the *World Report on Disability*. MacLachlan and Mannan (2014) recently described the policy context leading to the development of the *World Report on Disability*, summarized its main findings and recommendations, and presented some areas of opportunity for rehabilitation psychology. The authors identified contributions to be made in (a) addressing the human resources for health crises in rehabilitation, (b) developing prosocial and community-based interventions/programs, (c) helping to identify and overcome difficulties of accessing health care, (d) refining the measurement and classification of disability, and (e) strengthening research, policy, and advocacy for and with people with disabilities.

A long, rich theoretical and conceptual history underlies the opportunities for rehabilitation psychology activities as described by MacLachlan and Mannan (2014). Indeed, psychological theory has had a substantial influence on how the international community currently conceptualizes disability issues. While the publica-

tion of the MacLachlan and Mannan article served as a call to action for the field in response to ongoing matters of global significance, the present work attempts to reflect upon the implicit yet collectively embraced foundational principles that underlie that call. As such, the current article will expand upon the work of MacLachlan and Mannan by making explicit the foundational principles underlying the rationale for rehabilitation psychology’s further involvement in global health contexts. Drawing on the seminal work of Kurt Lewin, Beatrice Wright, and Tamara Dembo, among others, we will examine the application of foundational principles in diverse contexts and interdisciplinary settings, and across service, research, education, and public policy efforts. Though there are many underlying principles with practical applications for rehabilitation psychology in these settings, the following will focus directly on the field’s contributions to conceptualizing the influential role of person–environment interactions and social context as well as the importance of involvement of persons with disabilities across all phases of disability empowerment, management and rehabilitation.

## Foundational Principles

### Field Theory and the Person–Environment Interaction

A North American rehabilitation psychologist deployed with a medical team to Malawi is introduced to a 10-year-old girl with acquired blindness in a small village. Prior to her loss of vision she had been a very good student, and her teachers were saddened that she could no longer attend class “because she cannot see the board nor read any more.” The psychologist met with the teachers, and found that they were excited to discuss options to help her learn by having her impairment accommodated by having a reader, and testing her skills verbally. In a nearby larger town, the psychologist was able to find a school for those with blindness—and with her parent’s approval—assisted in her obtaining financial scholarship to study, learn braille, and ultimately vocational skills, while her parents were provided with access to transportation to facilitate her attendance.

The case example above highlights the dynamic interactions between a person with a health condition, disability, and factors in the social and physical environment. The salience of the person–environment relation can be seen in the seminal work of prominent theorists and rehabilitation researchers including Roger Barker, Tamara Dembo, Kurt Lewin, Lee Meyerson, and Beatrice Wright. Notably, the utility of social-personality psychologist Kurt Lewin’s field theory in conceptualizing disability as a dynamic interaction of factors has been well documented (Dunn, Uswatte, Elliott, Lastres, & Beard, 2013). Lewin’s (1935) work in describing behavior as occurring as a function of both personal and environmental factors, represented in the quasimathematical function of  $B = f(P, E)$ , has had clear implications in disability studies. The philosophical and empirical legacy of Lewin’s foundational work can be seen not only in the work of the prominent rehabilitation psychology scholars discussed below but in the way in which the international community has come to define disability in general.

Lewin’s influence can easily be observed in the conceptual framework for the *World Report on Disability*—the WHO’s International Classification of Functioning, Disability and Health (ICF; WHO, 2001). The introduction of the ICF model, shown in Figure 1, represented a conceptual shift from previous disability




Figure 1. World Health Organization's International Classification of Disability, Functioning and Health.

models in large part by emphasizing the “dynamic interaction between health conditions and contextual factors, both personal and environmental” (WHO, 2011, p. 4). It is not difficult to detect the Lewinian terminology in how the ICF presents disability as a complex interaction between multiple of personal and environmental factors.

Environmental factors are by definition external to the individual, and can be a barrier because of their presence (e.g., negative attitudes toward people with disabilities) or their absence (e.g., the unavailability of a needed service; WHO, 2001). They can have a positive (e.g., facilitators) or negative influence (e.g., barriers) on an individual's ability to fulfill societal roles, execute actions, or complete tasks. The ICF divided environmental factors into five domains, all of which are relevant to the LMIC context: (a) products and technology, (b) natural environment and human-made changes to the environment, (c) support and relationships, (d) attitudes, and (e) services, systems, and policies (WHO, 2001).

The nature and relative influence of environmental barriers varies according to local context. It is widely understood that

environmental factors pose threats to the quality of life of persons with disabilities in LMICs; however, there is very limited data to characterize physical and attitudinal environmental barriers experienced in LMICs. The *World Report on Disability* (WHO & World Bank, 2011) highlighted common environmental barriers associated with disability including lack of accessible buildings, roads, transportation, information, communication, and policy. Many of these environmental barriers are common to LMICs and high income countries alike; however, the extent and consequences of the challenges encountered in LMICs are much greater and more severe, spanning physical, financial, attitudinal, and socio-political domains. Factors unique to low income environments include exposure to poor sanitation, low birth weight, malnutrition, and lack of access to health care. Moreover, environmental changes following natural disaster or military conflict increase disability prevalence and create physical barriers to accessibility on multiple levels.

There are many opportunities for rehabilitation psychology to further the cause of addressing the environmental factors influencing the inclusion and quality of life of persons with disabilities at

a global level. For example, to date, little work has been done to develop and validate measures of environmental factors to systematically characterize the barriers that may be amenable to intervention in LMIC contexts. However, as [Alvarelhão and colleagues \(2012\)](#) point out, there is a growing recognition of a need “to deepen the discussion on the theory that supports the measurement of environmental factors. This discussion should be thorough and lead to the development of methodologies and new tools that capture the underlying concepts of the ICF” (p. 1). Rehabilitation psychologists, with their psychometric training and fundamental grounding in person–environment dynamics, are uniquely positioned to partner with local stakeholders to establish a better understanding of relevant factors unique to specific LMIC locales. The ICF model of disability offers a loose framework for measuring the effect of the environment on the prevalence and severity of disability. The ICF model has utility in its consideration of both capacity (e.g., what a person can do in a standardized, often clinical environment) and performance (e.g., what a person does in their typical environment with all barriers and facilitators in place). Drawing on the work of Lewin and others, rehabilitation psychologists can work to refine the measurement of person–environment interactions in order to guide intervention at the individual or social level, or both ([MacLachlan et al., 2014](#)).

However, the complexity of measuring person–environment interactions must be acknowledged ([Whiteneck & Dijkers, 2009](#)). Perhaps the most crucial dilemma to address in this area relates to what Whiteneck and Dijkers have described as “the paradox of measurements of environments using participant report” (p. S32). Whiteneck and Dijkers’ paradox refers to the notion that those who encounter the most profound environmental barriers may report the least due to pervasive activity restrictions that preclude them from engaging with the environment in other domains. The implications are heightened in LMICs as individuals with even minor impairments may experience severe functional limitations due to a multitude of environmental and cultural factors. The degree of complexity would be enhanced when attempting to study and understand the confluence of barriers experienced by those with moderate to severe impairments in LMICs. As a result, disability can perhaps be best evaluated by first taking steps to characterize the LMIC environment generally before developing approaches to measure person–environment interactions. Among other considerations, this would require careful adaptation and validation of measurement tools to local contexts as well as novel attempts to quantify aspects of the environment independent of its specific influence on a person’s social role participation. Such an approach would begin to shift from traditional methods of collecting self-report data on *perceived* environmental barriers, and potentially allow for increased ability to contextualize the influence of the environment across severity groups and social-ecological systems (e.g., individual; household; societal).

### Importance of Social Context

A U.S.-trained rehabilitation psychologist is providing education to medical professionals throughout the Sichuan Province in China regarding disaster recovery and behavioral health issues, a few months postearthquake. The psychologist is providing education to other health professionals throughout the Province regarding disaster recovery and behavioral health issues. The psychologist is asked to help them with the case of a 16-year-old girl from a nearby village that had

bilateral lower extremity amputations due to injuries sustained during the earthquake. Prior to her injury she was a bright student, planning to move to the city and work as an adult. She is the daughter of a farmer, and they have extremely limited financial resources. The girl has stopped participating in physical rehabilitation, and was recently transferred from the medical hospital to the psychiatric hospital because of her “noncompliance.” She has not progressed in treatment as expected, and the treating providers have diagnosed her with depression. In response, her medical team has decided that the most feasible treatment goal at this time is to teach her to play flute so that she will have a skill to beg with in the future. The rehabilitation psychologist works with her health care providers to identify facilitators of participation in rehabilitation and potential pathways toward gainful employment.

The case vignette above illustrates social context as interacting with personal and environmental factors to influence a person’s potential functional outcome in a cross-cultural international setting; although clearly the person’s medical team in this example have sought a diminished social role for this woman with amputations. This provides a practical example of how rehabilitation psychologists have furthered Lewin’s ideas on the person–environment interaction in several ways, further delineating the importance of social context across numerous spheres and planes.

Researchers in the mid-to-late 20th century explored the implications of social context through research and theory development related to self- and other- perceptions of and attributions about disability. [Table 1](#) displays a very brief summary of four major foundational contributions made in this area. As can be seen in [Table 1](#), influential rehabilitation psychology theorists and researchers identified a number of social and interpersonal biases leading to negative attitudes toward people with disabilities. The influence of insider-outsider distinctions, devaluation, fundamental negative bias, and the “spread” effect on promoting prejudice and discrimination has been long-observed in Western cultures ([Dembo, 1969](#); [Dembo, Leviton, & Wright, 1956](#); [Yuker, Block, & Young, 1966](#)). The implications of these foundational principles in LMICs are significant. That is, social context may take on an exaggerated significance in cultures and settings in which there may be a strong reactivity to changes in a person’s physical or cognitive status. Persons with disabilities in LMICs may be assumed to lack capacity for gainful employment, seen as a source of familial shame, thought to be subjected to divine punishment, and/or provided a pity-based level of support that stymies their capacity for functional independence.

In addition to the physical environmental barriers described above, the *World Report on Disability* identified negative attitudes as “a key environmental factor which needs to be addressed across all domains” (p. 193). Furthermore, the *World Report* states that “campaigns to change negative attitudes towards persons with disabilities . . . will reduce barriers to activities and participation for many persons with disabilities” (p. 37). Rehabilitation psychology has much to offer to interventions designed to affect perception of disability at both the individual- and population-based levels. There was recognition of the field’s potential and basic responsibility in this area from early on ([Dembo, Diller, Gordon, Leviton, & Sherr, 1973](#)). [Beatrice Wright \(1983\)](#) specifically explicated the benefit of focusing on assets and abilities as well as coping, rather than succumbing to frameworks for adaptation. It is the role of the rehabilitation psychologist to be vigilant for existing

Table 1  
*Foundational Principles: Importance of Social Context*

Principles	Social context implications
Insider–outsider distinction	Tamera Dembo (1969, 1970) and Beatrice Wright (1975, 1983) identified that perspectives on disability differ between “insiders” (people with disabilities) and “outsiders” (people without disabilities). This <i>insider–outsider</i> distinction accounts for erroneous assumptions about disability and persons with disability from the outsider point of view. For example, outsiders may place undue emphasis on physical impairments impeding a “normal” life, whereas insiders are aware that disability is largely mediated by the environment and not a singular aspect of their identity.
Devaluation	Outsiders may devalue persons with disabilities by perceiving them as not equal (Dembo, Diller, Gordon, Leviton, & Sherr, 1973). Examples of devaluation include avoidance of social contact, occupational discrimination, and implicit or explicit exclusion from participation.
Fundamental negative bias	Beatrice Wright (1983) wisely pointed out that outsiders’ devaluation is based on a disproportionate focus on negative aspects of disability. Negative bias can be observed, perpetuated, exaggerated, and ultimately altered through the use of labels. Disability-centric labels (e.g. John is a paraplegic) rather than focus on other aspects of a person’s identity (e.g. John is a professor) contribute to the fundamental negative bias.
“Spread” effect	The “spread” effect refers to the attention to and generalization of a single characteristic (e.g., an outwardly observable physical disability) to other unrelated domains. As a result, an outsider may make inferences that a disability in one domain (e.g., mobility) suggests impairments in others (e.g., cognition).

and potential assets to draw on in order to effectively manage disability-related challenges. These principles may seem self-evident in the applications of rehabilitation psychology in high-income contexts, but take on renewed importance when thinking about applications in LMICs, where there are expansive opportunities to better understand social context as either a facilitator or barrier for persons with disabilities.

### Involvement of Persons With Disabilities

A rehabilitation psychologist from the United States is deployed with a medical response team to one of the few remaining hospitals in Port au Prince, Haiti, within days of an earthquake. Severe aftershocks are occurring, and the hospital is surrounded by hundreds of survivors/residents temporarily living on the grounds. The rehabilitation psychologist is asked to provide psychological support to people following amputation surgery, recovering in tents on the grounds. A local hospital worker is translating, and informs the psychologist about an urgent case involving a carpenter who had one of his arms amputated. He is unaware that his family was killed in the earthquake, and he is wondering how come they aren’t visiting. He states he doesn’t know how he can go on now that he cannot work and support his family. He states that his family cannot afford to care for him, and that he would rather die than “be a burden.” The rehabilitation psychologist helps his treatment team in identifying a crisis management plan and provides direct emotional support to this gentleman while working to connect him to established indigenous resources that he can access long after the psychologist has left the disaster scene.

In an article published in the *American Psychologist*, Dembo and colleagues (1973) posed and addressed 12 critical questions about the field. The authors go on to describe the fundamental role of the rehabilitation psychologists as dynamically interacting with health systems, laws, policies, and social constructs limiting the quality of life of persons with disabilities. This work has been borne out in research and clinical practice over the more than 40 years since publication of this seminal article.

There are immense possibilities for the application of the spirit of Dembo et al.’s (1973) writings to address applied clinical,

research, and educational activities in LMICs. From an applied clinical practice perspective, rehabilitation psychologists are clearly skilled in navigating interdisciplinary environments while aligning both direct and indirect interventions in the service of people with disabilities. The disaster survivor described in the case example above provides an illustration of a person clearly in acute crisis and thoughtful guidance to assist his treatment team guide him through this period of immense loss. Beyond the immediate needs of the acute phase, rehabilitation psychologists have opportunities to align existing community resources and assist local stakeholders in developing support services that will be sustainable over time. This activity may ultimately involve modification of evidence-based practices for use in LMIC contexts. For example, Wegener and colleagues (2009) demonstrated effectiveness of a community-based self-management intervention for individuals who have had amputation. This intervention was based on group sessions led by trained volunteers, making it an example of an appealing intervention in need of further evaluation for use in LMIC settings where there is clearly a need of programs designed to increase involvement and empowerment of people with disabilities. Such a strategy may also contribute to addressing the scarcity of human resources needed to implement rehabilitation psychology interventions, especially in LMICs. Without new and imaginative models of health care deliver the potential of rehabilitation psychology to improve the lives of millions will not be reached—we need to design rehabilitation psychology delivery systems in ways that can increase coverage and access, while maintaining quality of care (MacLachlan, 2012).

Another example of a community-based empowerment model for people with disabilities is a project based in India that has been instrumental in organizing persons with disabilities into self-help groups (SHGs) to address economic disparities in rural villages between people with and without disabilities. Although some LMICs countries have instituted employment and livelihood-based legislation in an attempt to address significant poverty issues in the country, most fail to include individuals with disabilities. In India, the Centennial Rural Self-Employment Scheme (Hiranandani & Sonpal, 2010) requires that 3% of persons with disabilities must be

served and included in the program, but preliminary information indicated that less than 1% had been included in this program to date (World Bank, 2007). In an effort to address this disparity a study was instituted at the state level in Southern India to evaluate ways to increase participation of people with disabilities in these initiatives. Unlike most SHG-focused evaluation programs that measures economic benefits of participation, this evaluation approach stemmed from the recognition that these groups offer opportunities for social and personal empowerment for persons with disability and their families (Karpur et al., 2014). The community-based services available through these groups help in cultivating them into community-based rehabilitation groups advancing full-inclusion of persons with disability and expanding their capacities for achieving increased functioning. The research aimed to study how participation in SHG impacts not only access to resources, but also livelihood opportunities for persons with disability and their families including their participation in education and work. This study has illustrated the impact of SHG participation on social empowerment, self-determination, citizenship activities, and reduction of stigma toward people with disabilities. A mixed-methods approach was used including a large-scale survey of persons with disabilities in both a program and control group, in combination with qualitative methods of focus group discussions to study the program structure and processes. Survey data was collected on 900 persons with disability (450 in intervention and 450 in the comparison/control group) and their families using multistage sample design. In addition, 32 focus-group discussions were being conducted using a semistructured tool informed by the community-based rehabilitation matrix as proposed by the WHO (2010). Results of the study will inform SHG-based developmental approaches for addressing poverty as well as expanding capabilities for individuals with disabilities in their community settings. Further, different aspects of SHG will be examined with the perspective of community inclusion of persons with disability in the context of developing countries. This is one example of how rehabilitation psychology can be cross-cutting between sectors that affect individual lives—health, livelihoods, empowerment—and this is perhaps a distinctive role for the rehabilitation psychology practitioner.

In addition to clinical practice and research implications, there are many opportunities for rehabilitation psychologists to enact core principles to promote the involvement of persons with disabilities. Policy development, evaluation, and revision represent such areas of opportunity. For example, over the past two decades the Ugandan government has made strides to address the rights of people with disabilities in the country. Uganda has made a political commitment to inclusion of people with disabilities in policy development. Persons with disabilities have five representatives in the Ugandan Parliament to lobby on behalf of their interests. Disabled persons' organizations have increased in civil society influence and been included in helping develop the countries' poverty reduction strategies (Dube, 2005). Several laws have been passed to include individuals with disabilities in the mainstream society; however, in practice, reports indicate that persons with disabilities still remain marginalized and vulnerable members of the society (Ministry of Finance Planning and Economic Development—Uganda, 2008). A recent qualitative study undertaken by the Ministry of Finance and endorsed by the National Union of Disabled Persons of Uganda (2008), found that people with disabilities are more likely

to be excluded from work, school, and other social settings due to their disabilities. The study, conducted across several districts of Uganda, also found that while communities are open to discussing disability issues and view disabilities as restricting an individual's participation in society, disabilities are still stigmatized. Like other LMIC settings, part of the difficulty appears to be in implementation of established inclusion policies. Mannan, Amin, MacLachlan, and the EquiAble Consortium (2011) have presented a manualized methodology—called EquiFrame—to assist policymakers in identifying deficiencies in existing policy in terms of the inclusion of vulnerable and marginalized groups, and the adoption of core concepts of human rights. Part of the motivation for this initiative came from the social psychological theory of social dominance (Pratto, Sidanius, Stallworth, & Malle, 1994). The framework has been already been used to assist Ministries in a number of African countries and is currently also being used in a collaborative project with the United Nations Educational, Scientific, and Cultural Organization in several South East Asian countries (Ahmimed, MacLachlan, & Mannan, 2014). Rehabilitation psychologists and psychologists in general could develop opportunities to engage more at a macropsychology level—that is, considering how individuals or groups can influence the settings and conditions of the society in which they live (MacLachlan, 2014)—and for rehabilitation psychologists, this may be as diverse as addressing stigmatizing attitudes through social media, client-centered governance of rehabilitation services, or the domestication of the United Nations Convention on the Rights of Persons with Disabilities as it applied to community-based rehabilitation.

## Discussion

The character of the discussion itself is of grave importance since *unusual care* must be taken to make certain that those principles that are to be endorsed do not remain platitudinously dormant. Only by seriously and persistently checking one's own behavior against them, only by focusing on barriers to their proper implementation and on specific ways in which such barriers might be removed, will they become an actual basis for guiding the behavior of professionals and the character of programs. (Wright, 1972, p. 38)

This quote from Beatrice Wright brings into focus the need for the field to continually reevaluate its response to critical demands. Rehabilitation psychologists are not only equipped to contribute to global and public health initiatives in LMIC settings; the call to engage in this work is foundational to the collective professional ethos of the field. This article has briefly described the application of fundamental rehabilitation psychology concepts related to person–environment interaction, the importance of social context, and the essential need to involve persons with disabilities at all levels of service. The work of Lewin, Wright, Dembo, and others who influenced the thinking about disability issues in rehabilitation psychology can be clearly seen in the ICF (WHO, 2001). Moreover, the application of foundational principles discussed in this article aligns closely with recommendations for future work as provided in the *World Report on Disability* (WHO & World Bank, 2011). Table 2 displays a process approach to conceptualizing international rehabilitation research as based on the foundational principles we have discussed.

Our discussion of the application of foundational rehabilitation psychology only begins to describe the ability for rehabilitation psychology to serve among the world's most vulnerable popula-

Table 2  
*Incorporating Foundational Principles: A Process Approach in International Rehabilitation Engagement*

Process approach
Understand context through immersion
Engage local stakeholders
Conduct person-centered inquiry
Collate empirical evidence
Critical reflection through sharing of voices of people with disabilities
Reduce the gap between “insider–outsider” distinction
Foster collective capacity building in engaged research

tions, individuals with disabilities living in low resource settings. However, numerous challenges to contributions to the complex and multidimensional needs of persons with disabilities in LMICs remain. There are undeniable and expansive needs in multiple areas including development of human resources, access to care and services, research infrastructure, and public awareness and understanding about disability. Programs that take an interdisciplinary and multifaceted approach are needed. Indeed, rehabilitation psychology’s involvement in contributing to such programs has already begun. Figure 2 provides a diagram for current opportunities for rehabilitation psychology to contribute and prioritize its contributions in the global context (e.g., where to form strategic alliances).

One program has been initiated in Mysore, India as part of a collaborative effort between the Employment and Disability Insti-

tute at Cornell University and the Grassroots Research and Advocacy Movement (Rajashekharamurthy & Karpur, 2014). The project employed mixed-methods approach to policy analysis of the Mahatma Gandhi National Rural Employment Guarantee Act in order to (a) better understand areas of disability inclusiveness and (b) to assess knowledge, attitudes, and perceptions of local-level implementers of the Mahatma Gandhi National Rural Employment Guarantee Act toward inclusion of persons with disability in their programs. The study used household survey data as well as focus group, interviews and participatory appraisal to capture narratives and persons with disabilities. Major outcomes from the project included a workshop led by the Grassroots Research and Advocacy Movement, policymaker and grassroots engagement (including minister for rural development, program administrators, local nongovernmental organizations, disability advocates, people with disabilities and their family members), and reaffirmation of the benefits of inclusion. Following the project, the minister for rural development crafted the ordinance to make programs more inclusive and has continued to be engaged in this effort.

As with any other aid effort, there are psychological dynamics inherent in international rehabilitation projects (MacLachlan, Carr, & McAuliffe, 2010). Additional programs that take a capacity building approach aimed at developing local resource sustainability are needed. The Johns Hopkins–Makerere University Chronic Consequences of Trauma, Injuries, and Disability Across the Life Span in Uganda (Chronic TRIAD; see [http://www.jhsph.edu/research/centers-and-institutes/johns-hopkins-international-injury-research-unit/research/Chronic\\_TRIAD/](http://www.jhsph.edu/research/centers-and-institutes/johns-hopkins-international-injury-research-unit/research/Chronic_TRIAD/)) provide one such example. An ongo-




Figure 2. Foundational principles underlying current opportunities for rehabilitation psychology to contribute to international initiatives. The information about models of health systems development (WHO, 2007) and community-based rehabilitation (WHO, 2010) is available through the World Health Organization.

ing collaborative project between the Johns Hopkins International Injury Research Unit and the Makerere University School of Public Health, the project aims to strengthen trauma, injury, and disability research and educational capacity in Uganda. Aims of the project are to develop a core group of researchers at Makerere University, promote research around key national priorities, establish a national forum, and create a research locus/program. The project will establish a new track within Makerere University School of Public Health master of public health program and recruit at least nine trainees into this specialty track. Rehabilitation psychologists have participated as core members of this project, designed course content taught in the specialty track, and mentored research by Ugandan public health students on topics of disability. The expected outcome will be a sustainable research enterprise that is for Ugandans by Ugandans with the technical assistance of Johns Hopkins as a partner institution. This project serves as an example and model for international capacity building initiatives.

There is also an array of global initiatives to which rehabilitation psychologists could make meaningful contributions. For instance, WHO's Global Cooperation on Assistive Health Technologies initiative seeks to identify essential assistive technologies in LMICs, along with the systems to implement their provision and use (see [http://www.who.int/phi/implementation/assistive\\_technology/phi\\_gate/en/](http://www.who.int/phi/implementation/assistive_technology/phi_gate/en/)). In addition, the United Nations Partnership on the Rights of People with Disabilities seeks to promote implementation of the United Nations' Convention on the Rights of Persons with Disabilities at country level, currently working across 22 countries (see <http://mptf.undp.org/factsheet/fund/RPD00>). In each country, United Nations Organizations work with government and civil society to promote these aims, and in many instances they seek an evidence base for these activities going forward. Rehabilitation psychology research and practice could seek to establish links with these programs, and conduct comparative research.

### Conclusion

In conclusion, foundational rehabilitation psychology principles provide a clear rationale and call to action for service to persons with disabilities in resource-challenged environments. As rehabilitation psychology examines how it can contribute to disability management globally as a specialty, rehabilitation psychologists can play a larger role in health care by exporting their key principles—person-centered care, conceptualizing disability as multidimensional arising from the interaction between the person and environment, use of an interdisciplinary approach, attention to social context, focus on retained abilities and positive psychological factors, and efforts for inclusion of persons with disabilities—to shape health care delivery and health behavior change initiatives at an international level. This can occur across numerous levels and domains. With grounding in theory and principles identified by founders of the field, rehabilitation psychologists have the ability to engage in collaborative efforts to assist in developing clinical, education, and research capacity in LMICs.

### References

Ahmimed, C., MacLachlan, M., & Mannan, H. (Eds.). (2014). *Policies & Processes for Social Inclusion: Vol. I. Possibilities from South East Asia*. Jakarta, Indonesia: UNESCO.

- Alvarelhão, J., Silva, A., Martins, A., Queirós, A., Amaro, A., Rocha, N., & Lains, J. (2012). Comparing the content of instruments assessing environmental factors using the International Classification of Functioning, Disability and Health. *Journal of Rehabilitation Medicine, 44*, 1–6. <http://dx.doi.org/10.2340/16501977-0905>
- Dembo, T. (1969). Rehabilitation psychology and its immediate future: A problem of utilization of psychological knowledge. *Rehabilitation Psychology, 16*, 63–72.
- Dembo, T., Diller, L., Gordon, W. A., Leviton, G., & Sherr, R. L. (1973). A view of rehabilitation psychology. *American Psychologist, 28*, 719–722. <http://dx.doi.org/10.1037/h0035761>
- Dembo, T., Leviton, G. L., & Wright, B. A. (1956). Adjustment to misfortune: A problem of social-psychological rehabilitation. *Artificial Limbs, 3*, 4–62.
- Dube, A. K. (2005). Participation of disabled people in the PRSP/PEAP process in Uganda. London, United Kingdom: Disability Knowledge and Research (KaR) Programme. Retrieved from [http://r4d.dfid.gov.uk/PDF/Outputs/Disability/PolicyProject\\_uganda\\_prsp.pdf](http://r4d.dfid.gov.uk/PDF/Outputs/Disability/PolicyProject_uganda_prsp.pdf)
- Dunn, D. S., Uswatte, G., Elliott, T. R., Lastres, A., & Beard, B. (2013). A positive psychology of physical disability: Principles and progress. In M. L. Wehmeyer & M. L. Wehmeyer (Eds.), *The Oxford handbook of positive psychology and disability* (pp. 427–441). New York, NY: Oxford University Press. <http://dx.doi.org/10.1093/oxfordhb/9780195398786.013.013.0026>
- Hiranandani, V., & Sonpal, D. (2010). Disability, economic globalization and privatization: A case study of India. *Disability Studies Quarterly, 30*. Retrieved from <http://dsq-sds.org/article/view/1272/1302>
- Kapur, A., Mitra, S., McGavock, T., Rajashekharmurthy, B., Budithi, R., Akunuri, M., & Bruyère, S. (2014). *Self-help group model for eliminating poverty, promoting community inclusion, and building capabilities for persons with disabilities in rural India*. Presented at 2014 Human Development and Capability Association Annual Conference, Athens, Greece.
- Lewin, K. A. (1935). *A dynamic theory of personality*. New York, NY: McGraw-Hill.
- MacLachlan, M. (2012). Rehabilitation psychology and global health. In P. Kennedy (Ed.), *Oxford handbook of rehabilitation psychology* (pp. 554–573). Oxford, United Kingdom: Oxford University Press. <http://dx.doi.org/10.1093/oxfordhb/9780199733989.013.0031>
- MacLachlan, M. (2014). Macropsychology, policy, and global health. *American Psychologist, 69*, 851–863. <http://dx.doi.org/10.1037/a0037852>
- MacLachlan, M., Carr, S. C., & McAuliffe, E. (2010). *The aid triangle: Recognizing the human dynamics of dominance, justice and identity*. London, United Kingdom: Zed.
- MacLachlan, M., & Mannan, H. (2014). The *World Report on Disability* and its implications for rehabilitation psychology. *Rehabilitation Psychology, 59*, 117–124. <http://dx.doi.org/10.1037/a0036715>
- MacLachlan, M., Mji, G., Chataika, T., Wazakili, M., Dube, A. K., Mulumba, M., . . . Maughan, M. (2014). Facilitating disability inclusion in poverty reduction processes: Group consensus perspectives from disability stakeholders in Uganda, Malawi, Ethiopia, and Sierra Leone. *Disability & the Global South, 1*, 107–127.
- Mannan, H., Amin, M., MacLachlan, M., & the Equitable Consortium. (2011). *The EquiFrame manual: A tool for evaluating and promoting the inclusion of vulnerable groups and core concepts of human rights in health policy documents*. Dublin, Ireland: Global Health Press.
- Ministry of Finance Planning and Economic Development–Uganda. (2008). *Disability and poverty in Uganda: Progress and challenges in PEAP implementation 1997–2007*. Kampala, Uganda: Ministry of Finance.
- National Union of Disabled Persons of Uganda. (2008). *On mainstreaming and operationalizing the disability policy in government development programmes and plans: Policy brief presented to the Ministry of Gender,*

- Labour and Social Development; parliamentary sectoral committees; and members of parliament for people with disabilities.* Kampala, Uganda: NUDIPU.
- Pratto, F., Sidanius, J., Stallworth, L. M., & Malle, B. F. (1994). Social dominance orientation: A personality variable predicting social and political attitudes. *Journal of Personality and Social Psychology*, *67*, 741–763. <http://dx.doi.org/10.1037/0022-3514.67.4.741>
- Rajashekharamurthy, B., & Karpur, A. (2014). *Inclusion of people with disabilities in rural employment program in India: A Study in Kolar District of Karnataka, India.* Mysore, India: Grassroots Research and Advocacy Movement.
- Wegener, S. T., Mackenzie, E. J., Ephraim, P., Ehde, D., & Williams, R. (2009). Self-management improves outcomes in persons with limb loss. *Archives of Physical Medicine and Rehabilitation*, *90*, 373–380.
- Whiteneck, G., & Dijkers, M. P. (2009). Difficult to measure constructs: Conceptual and methodological issues concerning participation and environmental factors. *Archives of Physical Medicine and Rehabilitation*, *90*, S22–S35. <http://dx.doi.org/10.1016/j.apmr.2009.06.009>
- World Bank. (2007). *People with disabilities in India: From commitments to outcomes.* New Delhi, India: Human Development Unit, South Asia Region.
- World Health Organization (WHO). (2006). *Disability and rehabilitation: Promoting access to healthcare services for persons with disabilities.* Malta, India: World Health Organization. Retrieved from [http://www.who.int/nmh/donorinfo/vip\\_promoting\\_access\\_healthcare\\_rehabilitation\\_update.pdf](http://www.who.int/nmh/donorinfo/vip_promoting_access_healthcare_rehabilitation_update.pdf)
- World Health Organization. (2007). *Everybody's business—strengthening health systems to improve health outcomes: WHO's framework for action.* Retrieved from [http://www.who.int/healthsystems/strategy/everybodys\\_business.pdf?ua=1](http://www.who.int/healthsystems/strategy/everybodys_business.pdf?ua=1)
- World Health Organization (WHO). (2010). *CBR guidelines.* Geneva, Switzerland. Retrieved from [http://whqlibdoc.who.int/publications/2010/9789241548052\\_introduutory\\_eng.pdf?ua=1](http://whqlibdoc.who.int/publications/2010/9789241548052_introduutory_eng.pdf?ua=1)
- World Health Organization (WHO) & World Bank. (2011). *World report on disability.* Malta, India: World Health Organization. Retrieved from [http://whqlibdoc.who.int/publications/2011/9789240685215\\_eng.pdf](http://whqlibdoc.who.int/publications/2011/9789240685215_eng.pdf)
- Wright, B. A. (1972). Value-laden beliefs and principles for rehabilitation psychology. *Rehabilitation Psychology*, *19*, 38–45. <http://dx.doi.org/10.1037/h0090869>
- Wright, B. A. (1975). Sensitizing outsiders to the position of the insider. *Rehabilitation Psychology*, *22*, 129–135. <http://dx.doi.org/10.1037/h0090837>
- Wright, B. A. (1983). *Physical disability: A psychosocial approach* (2nd ed.). New York, NY: Harper Collins. <http://dx.doi.org/10.1037/10589-000>
- Yuker, H. E., Block, J., & Young, J. (1966). *The measurement of attitudes toward disabled persons.* Albertson, NY: Human Resources Center.

Received April 2, 2015

Revision received September 30, 2015

Accepted October 4, 2015 ■